

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	79	(710/21,22,33,39,40,316.ccls: and @ad<"20000713") and (data near3 transfer) and ((source destination) near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:41
L2	202	(((((data near3 transfer) and ((source destination) near3 port)) and @ad<"20000713") and priority and (switch hub)) and (request same queue same controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/20 12:42
S1	60	(710/21,22,33,39,40,316.ccls: and @ad<"20000713") and (data near3 transfer) and ((source destination) near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/10 13:12
S2	2916	(data near3 transfer) and ((source destination) near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/10 15:31
S3	2263	((data near3 transfer) and ((source destination) near3 port)) and @ad<"20000713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/10 13:19
S4	1067	(((((data near3 transfer) and ((source destination) near3 port)) and @ad<"20000713") and priority and (switch hub))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/10 13:29
S5	159	(((((data near3 transfer) and ((source destination) near3 port)) and @ad<"20000713") and priority and (switch hub)) and (request same queue same controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/10 13:31
S6	109	(((((data near3 transfer) and ((source destination) near3 port)) and @ad<"20000713") and priority and (switch hub)) and (request with queue with controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/10 13:31
S7	1	("5581790").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/12/10 16:26
S8	1	("5894481").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/12/10 16:55
S9	3	write adj reservation adj station	US-PGPUB; USPAT	OR	ON	2002/12/10 17:32
S10	1102	((data near3 transfer) and ((source destination) near3 port)) and ((receive transmit) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/11 10:00
S11	110	(((((data near3 transfer) and ((source destination) near3 port)) and ((receive transmit) near3 packet)) and (request adj queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/11 10:17

S12	106	(((((data near3 transfer) and ((source destination) near3 port)) and ((receive transmit) near3 packet)) and (request adj queue)) and priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/11 10:19
S13	21	(data adj processor) and (data near3 cache) and (instruction near3 cache) and (dirty near2 bit) and writeback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/12 11:35
S14	20	((data adj processor) and (data near3 cache) and (instruction near3 cache) and (dirty near2 bit) and writeback) and @ad<"20000713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/12 11:36
S15	14	(((((data adj processor) and (data near3 cache) and (instruction near3 cache) and (dirty near2 bit) and writeback) and @ad<"20000713") and (switch router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/12/12 14:45
S16	1	("6493347").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/12/12 15:24
S17	1	("5138611").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2002/12/12 15:24
S18	2850	((source initiat\$3) near3 (port interface)) and ((destination target) near3 (port interface))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 13:12
S19	785	(((((source initiat\$3) near3 (port interface)) and ((destination target) near3 (port interface))) and ((query\$3 check\$3 poll\$3) with (destination target))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 13:13
S20	4	(((((source initiat\$3) near3 (port interface)) and ((destination target) near3 (port interface))) and (((query\$3 check\$3 poll\$3) with (destination target)) with (wait delay stall))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 13:19
S21	44	(((((source initiat\$3) near3 (port interface)) and ((destination target) near3 (port interface))) and (((query\$3 check\$3 poll\$3) with (destination target)) with (availab\$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 13:23
S22	2679	(query\$3 check\$3 poll\$3) with (destination target receiv\$3) with (availab\$5 ready)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 13:30
S23	904	(query\$3 check\$3 poll\$3) near5 (destination target receiv\$3) near5 (availab\$5 ready)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:02
S24	109	((query\$3 check\$3 poll\$3) near5 (destination target receiv\$3) near5 (availab\$5 ready)) same (wait stall delay)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 13:31
S25	1185	(query\$3 check\$3 poll\$3) near5 (destination target receiv\$3) near5 (capable availab\$5 ready)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:06
S26	464	((query\$3 check\$3 poll\$3) near5 (destination target receiv\$3) near5 (capable availab\$5 ready)) and (data near3 transfer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:03

S27	128	((query\$3 check\$3 poll\$3) near5 (destination target receiv\$3) near5 (capable availab\$5 ready)) same (wait\$3 delay\$3 stall\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:14
S28	1781	((hub control\$3 switch) and ((source initiator) near3 port) and ((target destination) near3 port)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:19
S29	185	((hub control\$3 switch) and ((source initiator) near3 port) and ((target destination) near3 port)) and ((query check poll) near3 (destination target))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 16:13
S30	4	((hub control\$3 switch) and ((source initiator) near3 port) and ((target destination) near3 port)) and ((query check poll) near3 (destination target) near3 (capabl\$3 able ability available))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:49
S31	5	((hub control\$3 switch) and ((source initiator) near3 port) and ((target destination) near3 port)) and ((query check poll) near3 (destination target) with (capabl\$3 able ability available))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:49
S32	296	(capacity with (buffer register) with (destination target))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 11:37
S33	192	((capacity with (buffer register) with (destination target))) and (switch hub controller)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 11:36
S34	3	((check query poll) with capacity with (buffer register) with (destination target))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 11:37
S35	9	((check\$3 query\$3 poll\$3) with capacity with (buffer register) with (destination target))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 11:37
S36	280	(wait\$3 with (destination target) with (capable able available))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 12:19
S37	205	((wait\$3 with (destination target) with (capable able available))) and (switch hub controller)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 15:40
S38	32	internal near3 port near3 master	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 15:45
S39	71663	(port interface) near5 (processor CPU master)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 15:45
S40	115997	(port interface) with (processor CPU master)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 15:46
S41	5638	(port interface) with internal with (processor CPU master)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 15:47
S42	731	(port interface) near3 internal near3 (processor CPU master)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 15:48

S43	80	((port interface) near3 internal near3 (processor CPU master)) same (switch hub)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:19
S44	356	(output near3 buffer) with (device apparatus) with (badwidth rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:20
S45	53	transfer with (output near3 buffer) with (device apparatus) with (badwidth rate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:26
S46	2	transfer with (output near3 buffer) with (badwidth rate) with (external near3 device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:27
S47	39	transfer with (output near3 buffer) with (badwidth rate) with device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:32
S48	0	"6606326".pn. and rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:33
S49	0	"6606326".pn. and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:33
S50	0	"5630077".pn. and rate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:34
S51	1	"5630077".pn. and bandwidth	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:57
S52	775	(FIFO buffer) near3 identifier	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:58
S53	1998	(FIFO buffer) near3 (identifier ID)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:58
S54	302	(FIFO buffer) adj (identifier ID)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 17:05
S55	12	(output near3 (FIFO buffer)) adj (identifier ID)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 17:01
S56	143	((FIFO buffer) adj (identifier ID)) and (switch hub)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 17:05